







ITALIAN DESIGN, QUALITY, MODULARITY AND INTERNATIONAL STANDARDS


The drawer can hold any food container, from the 1/1 size up



3



DETAILS THAT MAKE THE DIFFERENCE



Rubber Bumper Pads

Mechanically Inserted Pin Micro-Roller Runner System High-Resistance Acetal Resin Roller With Quick Switch System











INSULATED COMPONENTS

TOTAL HYGIENE AND SAFETY

INSULATED SINGLE DRAWERS

Enclosed single drawers with insulated front, watertight inside box and full length tracks completely made of AISI 304 Stainless Steel. External shell in composite material. Hermetic closure granted by a magnetic gasket.

INSULATED DOUBLE DRAWER UNITS

Enclosed drawer units with two independent insulated fronts, two watertight inside boxes and full length tracks completely made of AISI 304 Stainless Steel. External shell in composite material. Hermetic closure granted by a magnetic gasket.

INSULATED DOUBLE DRAWER UNITS WITH ONE SINGLE FRONT

Enclosed drawer units with one single insulated front, two watertight inside boxes and full length tracks completely made of AISI 304 Stainless Steel. External shell in composite material.

Hermetic closure granted

by a magnetic gasket.





QK11





The insulated drawers are only meant to store ice and/or bottled refreshments.

Foodstuffs must be placed in food containers and sealed with a lid before being stored in the drawers. INSULATED SINGLE DRAWERS

QK11

INSULATED DOUBLE DRAWER UNITS

QM11

INSULATED DOUBLE DRAWER UNITS WITH ONE SINGLE FRONT


QM19






QM11

b



NSF.

10







NS	E

QM19

1	•		
[, ≪##	<	
a	RONDA WWW.comba.th	=	C
	RON Made i	\sigma	
	•		

Model	Open	ing	Extern	al and i	internal	size	Gros	s weight
QK11	a	b	C	d	е	f		
mm_inch.	380 15"				577,5 22 ²³ / ₃₂ "			

Mod	lel	Openi	ing	Extern	al and	internal	size	Gros	s weight	
QM1	11	a	b	С	d	е	f			
mm	_ l.	380 15"				577,5 22 ²³ / ₃₂ "			31,40 69,30	

Model	Open	ing	External and internal size		Gros	s weight		
QM19	a	b	С	d	е	f		
mm inch.	380 15"	621 24½"	413 16 ¹ / ₄ "	654 25³/₄"	577,5 22 ²³ / ₃₂ "		Kg Lbs	30,10 66,40

Legend

a/b: opening
c/d: dimensions
of the drawer front
e: total depth
of the item from the
counter front
f: external
projection from the
counter front










TOTAL HYGIENE AND SAFETY

The insulated drawers are only meant to store ice and/or bottled refreshments.

Foodstuffs must be placed in food containers and sealed with a lid before being stored in the drawers.



- The drawer inside box is watertight and can be filled with ice or warm water.

 This keeps bottled beverages & food containers at the ideal temperature (hot or cold).
- The shape and size of the drawer box are specially studied to fit any composition of standard food containers & lids.

All corners & edges are rounded to allow safe and easy cleaning.







QU211

TRASH CONTAINER SPECIAL COMPONENTS

PULL-OUT TRASH DRAWERS


Enclosed drawers with front, watertight inside box and full length tracks completely made of AISI 304 Stainless Steel. External shell in composite material. Hermetic closure granted by a magnetic gasket. Equipped with two plastic trash containers with handles.




SPECIAL COMPONENTS

PULL-OUT TRASH DRAWER







QU211

Legend

a/b: opening

c/d: dimensions of the drawer front **e:** total depth of the item from the counter front

f: external projection from the counter front

Model	Opening		External and internal size			Gross weight		
QU21I	a	b	С	d	е	f		
mm_inch.	380 15"	- <u>621</u> 24½"			577,5 22 ²³ / ₃₂ "			26,00 57,40









BASIC COMPONENTS

BASIC SINGLE DRAWERS

Single drawers with front, drawer box and self-supporting structure completely made of AISI 304 stainless steel. Hermetic closure granted by a magnetic gasket. Specially designed to store BBQ utensils and canned/packed food.

BASIC DOUBLE DRAWER UNITS

Drawer units with two identical fronts, two drawer boxes and self-supporting structure completely made of AISI 304 stainless steel. Hermetic closure granted by a magnetic gasket. Specially designed to store BBQ utensils and canned/packed food.

BASIC TRIPLE DRAWER UNITS

Drawer units with three fronts, three drawer boxes and self-supporting structure completely made of AISI 304 stainless steel. Hermetic closure granted by a magnetic gasket. Specially designed to store BBQ utensils and canned/packed food.

BASIC SINGLE DOORS

Single doors completely made of AISI 304 Stainless Steel, equipped with angular hinges either for right or left opening.
Hermetic closure granted by a magnetic gasket.

BASIC DOUBLE DOORS

Double doors completely made of AISI 304 Stainless Steel, equipped with angular hinges and 1 single magnetic gasket to grant hermetic closure.





QR21





QX21D QX21S



QL21 QL22



QK21

BASIC DOUBLE

QM21

QR21









20

QK21




d
С

Model	Openi	ng	Extern	al and ii	nternal	size	Gros	s weight	
QK21	a	b	С	d	е	f			
mm_inch.	431 17"	419 16½"		452 17 ¹³ /16		59,5 2 ¹¹ / ₃₂ "		13,00 28,70	



Model	Open	ing	Externa	al and i	internal	size	Gros	s weight
QM21	a	b	С	d	е	f		
mm_inch.	431 17"	621 24½"	464 18%32"	654 25³⁄₄"	477 18 25/32 "	59,5 2 ¹¹ / ₃₂ "	<u>Kg</u> Lbs	18,80 41,50





a c	
-----	--

Model	Openi	ng	Externa	al and i	nternal	size	Gros	s weight
QR21	a	b	С	d	е	f		
mm inch.	431 17"	621 24½"	464 18 ⁹ /32"		477 18 2 5/32"	59,5 211/32"		<u>22,30</u> 49,20

Legend

a/b: opening c/d: dimensions of the drawer front e: total depth of the item from the counter front f: external projection from the counter front

BASIC COMPONENTS

BASIC SINGLE DOORS

QX21D QX21S

BASIC DOUBLE DOORS


QL21 QL22















4	4		
	1	6	3
1	_	D	
	•		

Model	Openi	ng	Externa	al and i	nternal	size	Gros	s weight	
QX21D	a	b	С	d	е	f			
mm inch.	431 17"	621 24½"	464 18%2"	654 25³⁄₄"	60 23/8"	59,5 2 ¹¹ / ₃₂ "	<u>Kg</u> Lbs	9,20 20,30	
QX21S	a	b	С	d	е	f			
mm_ inch.	431 17"	621 24½"	464 189/32"	654 253/4"	60 2³/8"	59,5 2 ¹¹ / ₃₂ "	<u>Kg</u> Lbs	9,20 20,30	





Model	Open	ing	Externa	al and i	nterna	size	Gros	s weight
QL21	a	b	С	d	е	f		
mm inch.	762 30"	507 20"	795 315/16"	540 211/4"	60 2³/8"	59,5 2 ¹¹ / ₃₂ "	Kg Lbs	13,80 30,50
QL22	a	b	С	d	е	f		
mm inch.	863 34"	507 20"	896 35 ⁹ /32"	540 211/4"	60 2³/8"	59,5 2 ¹¹ / ₃₂ "	Kg Lbs	14,60 32,20

















ACCESSORIES

FOOD CONTAINERS WITH HANDLES

Standard food containers completely made of AISI 304 Stainless Steel, in compliance with the UNI EN 631-1 and the UE 1935/2004 Directive for food use. Available in different sizes. Equipped with handles to be easily inserted into the drawers. We recommend to use food containers in combination with their own lids.

LIDS NOTCHED FOR HANDLES

Standard food lids completely made of AISI 304 Stainless Steel, in compliance with the UNI EN 631-1 and the UE 1935/2004 Directive for food use.

They are notched be used with handled food containers. Available in different sizes to fit the food containers.

SPILLPROOF LIDS NOTCHED FOR HANDLES

Standard food lids completely made of AISI 304 Stainless Steel, in compliance with the UNI EN 631-1 and the UE 1935/2004 Directive for food use.

They are notched to be used with handled food containers and equipped with a silicon seal to avoid spilling when the containers are filled with liquids. Available in different sizes to fit the food containers.

ROUND SINKS

Standard round sink can be top mounted, made of AISI 304 Stainless Steel and equipped with waste pipe.

SQUARE SINKS

Standard square sink can be mounted, made of AISI 304 Stainless Steel and equipped with waste pipe.



GNA



GNK



GNX



VRI



VDI

FOOD CONTAINERS WITH HANDLES

GNA

LIDS NOTCHED

GNK

SPILLPROOF LIDS

GNX



	Model	Depth	External size	Internal size	Capacity	Box
26	GNA 1106 GNA 1110 GNA 1120	h mm inch 65 29/16" 100 4" 200 8"	a x b mm inch 530x325 207/8"x12 ¹³ /16" 530x325 207/8"x12 ¹³ /16" 530x325 207/8"x12 ¹³ /16"	C x d mm inch 505x300 197/8"x11 ¹³ /16" 505x300 197/8"x11 ¹³ /16" 505x300 197/8"x11 ¹³ /16"	Lt. Gal. 9 2,37 14 3,69 28 7,39	10 10 5
	GNA 1206	65 2 9/16 "	325x265 12 ¹³ /16" x10 ⁷ /16"	300x240 11 ¹³ / ₁₆ "x9 ⁷ / ₁₆ "	4 1,05	10
	GNA 1210	100 4"	325x265 12 ¹³ /16" x10 ⁷ /16"	300x240 11 ¹³ / ₁₆ "x9 ⁷ / ₁₆ "	6,5 1,71	10
	GNA 1220	200 8"	325x265 12 ¹³ /16" x10 ⁷ /16"	300x240 11 ¹³ / ₁₆ "x9 ⁷ / ₁₆ "	12,5 3,17	10
	GNA 1306	65 29/16"	325x176 12 ¹³ /16"x6 ¹⁵ /16"	300x151 11 ¹³ / ₁₆ "x5 ¹⁵ / ₁₆ "	2,5 0,52	10
	GNA 1310	100 4"	325x176 12 ¹³ /16"x6 ¹⁵ /16"	300x151 11 ¹³ / ₁₆ "x5 ¹⁵ / ₁₆ "	4 1,05	10
	GNA 2806	65 29/16"	325x132 12 ¹³ / ₁₆ "x5 ³ / ₁₆ "	300x107 11 ¹³ / ₁₆ "x4 ⁷ / ₃₂ "	1,5 0,26	10
	GNA 2810	100 4"	325x132 12 ¹³ / ₁₆ "x5 ³ / ₁₆ "	300x107 11 ¹³ / ₁₆ "x4 ⁷ / ₃₂ "	2,7 0,53	10




Model	External si	ize	Box
1/1 GNK 11 1/2 GNK 12 1/3 GNK 13 2/8 GNK 28	a x b mm 530x325 325x265 325x176 325x132	inch 207/8"×12 ¹³ /16" 12 ¹³ /16"×10 ⁷ /16" 12 ¹³ /16"×6 ¹⁵ /16" 12 ¹³ /16"×5 ³ /16"	10 10 20 20




GNX

1/1	1/1
530 x 325 mm	530 x 325 mm
20%" x 12*1/16"	20 ⁷ /s" x 12 ¹³ /ıs"
1/2	1/2
325 x 265 mm	325 x 265 mm
12 ¹⁵ / ₁₈ " x 10 ⁷ / ₁₈ "	12 ¹³ /16" x 10 ⁷ /16"
1/3	1/3
325 x 176 mm	325 x 176 mm
12 ¹³ / ₁₆ " x 6 ¹⁵ / ₁₆ "	12 ¹³ / ₁₆ " x 6 ¹⁵ / ₁₆ "

)	100	2 ⁹ /16" 4"	325x132 325x132	12 ¹³ / ₁₆ "x5 ³ / ₁₆ "	1113/16"x47/32" 1113/16"x47/32"	,	0,26	10	2/8 325 x 132 mm 12 ¹³ / ₁₆ " x 5 ³ / ₁₆ "





1/1 530 x 325 mm 20**7/8**" x 12¹³/16" 1/2 325 x 265 mm 12¹³/₁₆" x 10⁷/₁₆"

1/3 325 x 176 mm 12¹³/16" x 6¹⁵/16"

2/8 325 x 132 mm 12¹³/16" x 5³/16"














ROUND SINKS

VRI

SQUARE SINKS

VDI

VDI

LOCK

S7



٧	R	I	

Model	Opening	Extern	al and	inter	nal siz	е		Capacity	Box
VRI38 mm inch.	a (Ø) 382 15½2"	c (ø) 380 14 ³¹ / ₃₂ "	e 84 35/16"	f (ø) 1½"	g 45 125/32"	h 164 6 ¹⁵ /32"	i 27 1½6"	Lt. 16,5 Gallons 4,36	5
VRI42 mm inch.	a (ø) 422 165/8"	c (Ø) 420 16 ¹⁷ / ₃₂ "	e 82 3 ⁷ / ₃₂ "	f (ø)	g 45 125/32"	h 165 6½"	i 25 0 ³¹ / ₃₂ "	Lt. 21,5 Gallons 5,68	5





Model	Openin	g	Exter	nal ar	nd int	ternal	size					Capac	ity	Box
VDI 40201D	a	b	C	d	е	f (ø)	g	h	i	r	ri			
mm_	402	402	400	400	90	11/2"	34	200	10	6	65	Lt.	25	5
inch.	15 ²⁷ /32"	1527/32"	153/4"	153/4"	3 17/32	7	111/32	77/8"	03/8"	01/4"	29/16"	Gallons	6,60	
VDI 40201S	a	b	С	d	е	f (ø)	g	h	i	r	ri			
mm_	402	402	400	400	90	11/2"	34	200	10	6	65	Lt.	25_	5
inch.	15 ²⁷ /32"	1527/32"	153/4"	153/4"	3 17/32	7	1 11/32	77/8"	03/8"	01/4"	29/16"	Gallons	6,60	





Model	Description
\$7	External lock to be fixed after installation

27















RONDA, AN ITALIAN HISTORY



Design, technology and functionality are the aims that Ronda has been pursuing for more than 45 year in the planning and realisation of its products.

Ronda is the leading company in the production of stainless steel components "doors, drawers, food containers, sink bowls..." for bar fittings and professional kitchen Ronda's quality and design have asserted themselves in the main European markets, spreading worldwide the elegance of the Italian style.

All Ronda products are subject to the most severe quality tests as the hore ca sector.



rondaoutdoors.com



Ronda Outdoors produced by:

Ronda S.p.A.

Via Vegri, 83 36010 Zané, Vicenza, Italy Phone +39 0445 385600 Fax +39 0445 385700

www.rondaoutdoors.com

sales@ronda.it vendite@ronda.it